

**=> IFW:      Scan as Doc Code: SRNT    <=  
Doc Date:**

### **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number:** *10/686,659*

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

**PALM INTRANET**Day : Friday  
Date: 7/7/2006  
Time: 12:32:42

## Inventor Information for 10/686659

Inventor Name	City	State/Country
<u>UNO, KEIICHI</u>	KARIYA-CITY	JAPAN
<u>SUZUKI, YASUSHI</u>	CHIRYU-CITY	JAPAN
<u>IWANAMI, SHIGEKI</u>	OKAZAKI-CITY	JAPAN
<u>ASA, HIRONORI</u>	OKAZAKI-CITY	JAPAN
<u>UCHIDA, KAZUHIDE</u>	HAMAMATSU-CITY	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity/Reexam](#)[Foreign](#)Search Another: Application#   or Patent#  PCT /  /   or PG PUBS #  Attorney Docket #  Bar Code #  

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

1	US 7058681 B1	20060606	Data reproduction system and method	709/203	709/206; 709/213	Uno; Keiichi et al.
1	US 7028475 B2	20060418	Fluid machine	60/597	60/605.1	Iwanami; Shigeki et al.
1	US 6993910 B2	20060207	Fluid machine	60/645	417/374; 417/410.5	Iwanami; Shigeki et al.
1	US 6986645 B2	20060117	Hybrid compressor with a selective drive clutch means and speed increasing means for driving the compressor at higher speeds with an engine at high load regions	417/16	417/223; 417/364; 417/374; 417/42; 62/236	Iwanami; Shigeki et al.
1	US 6981544 B2	20060103	Air-conditioning apparatus including motor-driven compressor for idle stopping vehicles	165/202	165/244; 165/271; 454/75; 62/239; 62/244	Iwanami; Shigeki et al.
1	US 6939114 B2	20050906	Dynamotor driven compressor and method for controlling the same	417/374	417/16; 417/42; 417/44.1; 417/45	Iwanami; Shigeki et al.
1	US 6927500 B2	20050809	Automotive accessories control system	290/40C	290/40A; 290/40B; 322/10; 322/12	Iwanami; Shigeki et al.
1	US 6874996 B2	20050405	Compressor having independently driven members	417/374	417/220; 417/338; 417/362; 417/364; 417/410.5; 417/420; 418/173	Iwanami; Shigeki
1	US 6874328 B2	20050405	Hybrid compressor device	62/193	417/223; 417/374; 62/236; 62/323.3; 62/323.4; 62/470	Suzuki; Yasushi et al.
1	US 6873466 B2	20050329	Scanning optical system	359/618	347/258; 347/261; 359/216;	Hama; Yoshihiro et al.

					359/217	
1	US 6863206 B2	20050308	Bonding apparatus	228/1.1	228/4.5; 228/45	Kyomasu; Ryuichi et al.
1	US 6857981 B2	20050222	Rotary actuator	475/149	475/153	Hori; Masashi et al.
1	US 6830438 B2	20041214	Hybrid compressor	417/16	417/212; 417/374; 62/228.5; 62/230	Iwanami; Shigeki et al.
1	US 6804969 B2	20041019	Composite auxiliary machine for a vehicle and a control unit thereof	62/133	62/236; 62/323.4	Iwanami; Shigeki et al.
1	US 6802796 B2	20041012	Control device for hybrid-driven auxiliary system	477/3	477/37; 903/940; 903/941; 903/942; 903/948	Asa; Hironori et al.
1	US 6781728 B2	20040824	Multi-beam scanning device	359/204	347/233; 359/206	Hama; Yoshihiro et al.
1	US 6755033 B2	20040629	Hybrid compressor apparatus and method of controlling the same	62/133	165/43; 62/229; 62/236; 903/941; 903/948	Iwanami; Shigeki et al.
1	US 6742350 B2	20040601	Hybrid compressor device	62/230	417/223; 62/236; 62/323.4	Suzuki; Yasushi et al.
1	US 6735962 B2	20040518	Composite auxiliary machine for vehicle and control unit thereof	62/133	62/323.4	Iwanami; Shigeki et al.
1	US 6688121 B2	20040210	Controlled compressor apparatus	62/134	62/236	Tada; Yoshiki et al.
1	US 6675596 B2	20040113	Compressor driven selectively by first and second drive sources	62/236	417/16; 62/323.4	Iwanami; Shigeki et al.
1	US 6659738 B2	20031209	Composite drive system for compressor	417/374	310/103; 417/410.5	Iwanami; Shigeki et al.
1	US 6637230 B2	20031028	Automotive air- conditioner having sub- compressor driven by electric motor	62/244	62/196.3	Iwanami; Shigeki et al.

1	US 6636340 B1	20031021	Multi-beam scanning device	359/204	347/233; 359/206	Hama; Yoshihiro et al.
1	US 6511530 B2	20030128	Compressor with oil separator	96/189	418/55.6; 418/DIG.1; 55/459.1; 55/460	Iwanami; Shigeki et al.
1	US 6467281 B2	20021022	Vapor-compression refrigerant cycle for vehicle	62/133	62/244	Iwanami; Shigeki et al.
1	US 6396615 B1	20020528	Multi-beam scanning optical system	359/204	347/232; 347/242; 347/243; 347/244; 359/206; 359/216	Hama; Yoshihiro et al.
1	US 6392773 B1	20020521	Multi-beam scanning optical system	359/204	359/206; 359/216	Hama; Yoshihiro et al.
1	US 6392772 B1	20020521	Multi-beam scanning optical system	359/204	359/205; 359/206; 359/216	Hama; Yoshihiro et al.
1	US 6317245 B1	20011113	Multi-beam scanning optical system	359/204	347/232; 347/233; 347/235; 347/243; 347/244; 359/205; 359/206; 359/216	Hama; Yoshihiro et al.
1	US 6244834 B1	20010612	Variable capacity-type scroll compressor	417/292	417/440	Matsuda; Mikio et al.
1	US 6231316 B1	20010515	Scroll-type variable-capacity compressor	417/310		Wakisaka; Takeshi et al.
1	US 6230576 B1	20010515	Electrically-driven position changing apparatus	74/335	74/473.12	Yamada; Yoshichika et al.
1	US 6224349 B1	20010501	Reciprocating type compressor having orbiting valve plate	417/269	91/480	Iwanami; Shigeki et al.
1	US 6151095 A	20001121	Anti-ferroelectric liquid crystal cell	349/182	252/299.66; 252/299.67; 349/174	Suzuki; Yasushi et al.
1	US	20001121	Variable discharge-	417/307	417/213;	Iwanami;

	6149401 A		amount compressor for refrigerant cycle		417/222.2; 417/306; 417/440	Shigeki et al.
1	US 6133896 A	20001017	Antiferroelectric liquid crystal cell	345/97	349/174	Suzuki; Yasushi
1	US 6118424 A	20000912	Method of driving antiferroelectric liquid crystal display	345/100	345/87	Suzuki; Yasushi
1	US 6116490 A	20000912	Bonding apparatus	228/1.1	228/110.1	Suzuki; Yasushi et al.
1	US 6007443 A	19991228	Hybrid vehicle	475/5	180/65.2; 475/193; 903/909; 903/918; 903/926; 903/940; 903/941; 903/942; 903/943; 903/945; 903/946	Onimaru; Sadahisa et al.
1	US 5969624 A	19991019	Battery charge control system for a hybrid vehicle driven by an electric motor and an internal combustion engine	340/636.1	180/65.2; 307/10.7; 307/102; 307/122; 307/17; 307/18; 307/9.1; 340/648; 903/903; 903/917; 903/925; 903/926; 903/943	Sakai; Shoji et al.
1	US 5939794 A	19990817	Engine control system for hybrid vehicle	290/40A	290/40B; 290/40C; 290/40R; 322/16; 322/29; 903/903; 903/917; 903/918; 903/925; 903/926;	Sakai; Shoji et al.

					903/927; 903/940; 903/941; 903/943	
1	US 5920985 A	19990713	Method of manufacturing a movable scroll element	29/888.022	29/558; 418/55.2	Fukanuma; Tetsuhiko et al.
1	US 5820703 A	19981013	Production method of steel pipe excellent in corrosion resistance and weldability	148/593	219/608; 219/612	Suzuki; Yasushi et al.
1	US 5807089 A	19980915	Scroll type compressor with a reinforced rotation preventing means	418/55.3		Tsumagari; Yuichi et al.
1	US 5807088 A	19980915	Scroll type compressor with chamfered scroll wall	418/55.2	418/55.4	Fukanuma; Tetsuhiko et al.
1	US 5786640 A	19980728	Generator control system for a hybrid vehicle driven by an electric motor and an internal combustion engine	290/17	180/65.2; 320/104; 322/16; 903/903; 903/914; 903/925; 903/926; 903/940; 903/941; 903/942; 903/943; 903/946	Sakai; Shoji et al.
1	US 5764328 A	19980609	Liquid crystal device with plural ferroelectric or antiferroelectric layer tilt angles per pixel	349/173	349/134; 349/174	Kawada; Sachiko et al.
1	US 5724116 A	19980303	Liquid crystal panel with memory function	349/171	349/130; 349/132; 349/172; 349/174; 349/184	Suzuki; Yasushi
1	US 5723971 A	19980303	Apparatus for charging a battery for a charge time determined based on the depth of discharge	320/106	320/128; 320/131; 320/150; 320/152; 320/157; 320/162	Sakai; Shoji et al.
1	US 5716108	19980210	Braking force control system of electric vehicle	303/3	188/156; 303/152	Asa; Hironori et

	A					al.
1	US 5714618 A	19980203	Polymer containing lactic acid as its constituting unit and method for producing the same	549/263	525/408; 525/411; 525/413; 525/415; 528/354; 528/361; 528/480; 549/266; 549/273; 549/295	Kimura; Kunio et al.
1	US 5711659 A	19980127	Method of manufacturing a movable scroll element and a scroll element produced by the same method	418/55.2	29/888.022	Fukanuma; Tetsuhiko et al.
1	US 5698962 A	19971216	Memory effect sensitive battery monitoring apparatus for electric vehicles	324/431	320/DIG.16; 320/DIG.21; 324/433; 340/636.13; 340/636.15	Sakai; Shoji et al.
1	US 5681656 A	19971028	Polyamide-imide fibers for a bag filter	428/364	428/365; 428/394	Inukai; Chuji et al.
1	US 5681155 A	19971028	Scroll type compressor having an elastic body in the driven crank mechanism	418/14	418/55.5; 418/55.6; 418/57	Hisanaga; Shigeru et al.
1	US 5654887 A	19970805	Braking force controller for electric vehicle	701/22	180/65.3; 303/152; 318/376; 701/70	Asa; Hironori et al.
1	US 5654782 A	19970805	Liquid crystal optical modulator device with each electrode width smaller than both the liquid crystal thickness and the electrode gaps	349/143	349/33; 349/49; 349/74	Morokawa; Shigeru et al.
1	US 5652069 A	19970729	Battery power monitoring apparatus for vehicle	429/92	320/136; 320/DIG.21; 429/90	Sakai; Shoji et al.
1	US 5634586 A	19970603	Single point bonding method	228/110.1	228/111; 228/212; 257/E21.518	Kimura; Kazumasa et al.
1	US 5618911	19970408	Polymer containing lactic acid as its constituting	528/361	525/354; 525/408;	Kimura; Kunio et al.



	A		unit and method for producing the same		525/411; 525/413; 525/415; 525/480	
1	US 5606243 A	19970225	Battery state judging apparatus	320/134	320/152; 320/DIG.21	Sakai; Shoji et al.
1	US 5581880 A	19961210	Method for machining scroll member	29/888.022	409/132	Iio; Junichi et al.
1	US 5549371 A	19960827	Braking force controller and control method for electric car	303/152	188/158; 188/181T; 303/112; 303/3	Konaga; Naoji et al.
1	US 5531579 A	19960702	Scroll type compressor	418/55.2	29/888.022	Fukanuma; Tetsuhiko et al.
1	US 5501584 A	19960326	Scroll type compressor having a passage from the suction chamber to a compression pocket	418/15	418/55.1; 418/55.2	Yamamoto; Shinya et al.
1	US 5349728 A	19940927	Magnetic position marker and control system for production of felt	28/107	28/110; 340/551	Murakami; Fumio et al.
1	US 5252032 A	19931012	Variable capacity swash plate type compressor	417/222.1	417/269; 92/12.2	Iwanami; Shigeki et al.
1	US 5156318 A	19921020	Ultrasonic bonding apparatus for bonding a semiconductor device to a tab tape	228/4.5	228/904	Suzuki; Yasushi et al.
1	US 5124204 A	19920623	Thin film electroluminescent (EL) panel	428/331	313/506; 313/512; 428/690; 428/917	Yamashita; Takuo et al.
1	US 5078226 A	19920107	Power steering apparatus for a vehicle with yaw control	180/422	701/41	Inagaki; Mitsuo et al.
1	US 5049435 A	19910917	Flexible sheet reinforced with poly(aromatic amide) non-woven fabric and use thereof	428/209	174/254; 428/301.1; 428/340; 428/458; 428/475.2; 428/901; 428/902; 428/920;	Uno; Keiichi et al.

					442/378	
1	US 4963074 A	19901016	Variable displacement swash-plate type compressor	417/222.1	417/270	Sanuki; Masami et al.
1	US 4941437 A	19900717	Automotive radiator cooling system	123/41.12	123/41.49; 60/456; 60/468	Suzuki; Yasushi et al.
1	US 4932843 A	19900612	Variable displacement swash-plate type compressor	417/222.1	91/506; 92/12.2	Itoigawa; Fumihito et al.
1	US 4910216 A	19900320	2-(3,5-dimethyl-4- hydroxyphenyl)indole derivatives	514/415	548/511	Suzuki; Yasushi et al.
1	US 4897301 A	19900130	Flexible sheet reinforced with poly(aromatic amide) non-woven fabric and use thereof	428/209	174/254; 216/105; 216/7; 427/389.9; 427/513; 428/340; 428/458; 428/475.2; 428/901; 428/902; 428/920; 442/164; 442/378	Uno; Keiichi et al.
1	US 4886423 A	19891212	Variable displacement swash-plate type compressor	417/222.2	91/506; 92/12.2	Iwanami; Shigeki et al.
1	US 4852976 A	19890801	Liquid crystal display device	349/119	349/121	Suzuki; Yasushi
1	US 4768339 A	19880906	Hydraulic drive system	60/427	60/428; 91/513; 91/6	Aoyagi; Yukio et al.
1	US 4761125 A	19880802	Twin-shaft multi-lobed type hydraulic device	418/201.3	418/206.5	Inagaki; Mitsuo et al.
1	US 4695581 A	19870922	2-(3,5-dialkyl-4- hydroxyphenyl)indole derivatives	514/415	548/511	Suzuki; Yasushi et al.
1	US 4673692 A	19870616	Diphenylmethyylimine derivatives, their compositions and pharmaceutical uses	514/583	514/590; 514/614; 514/639; 514/640; 564/20;	Suzuki; Yasushi et al.

					564/251; 564/254; 564/266; 564/36	
1	US 4650405 A	19870317	Scroll pump with axially spaced pumping chambers in series	418/5	418/55.1; 418/55.3; 418/60	Iwanami; Shigeki et al.
1	US 4616984 A	19861014	Sliding-vane rotary compressor with specific cylinder bore profile	418/150	418/255; 418/259	Inagaki; Mitsuo et al.
1	US 4578166 A	19860325	Process of actinic irradiation of shaped polyester imide containing benzophenone tetracarboxylic diimide group and cross-linked product	8/115.52	264/477; 264/479; 522/164; 522/165; 525/437; 528/220; 528/229; 8/115.53	Uno; Keiichi et al.
1	US 4444428 A	19840424	Joining structure of automotive vehicle body	296/154	296/213	Iwakura; Shinya et al.
1	US 4360464 A	19821123	Process for production of 1-aryloxy-aminopropane derivatives	548/490	549/366	Tsukamoto; Kunio et al.
1	US 4337256 A	19820629	1-Phenyl isoquinoline-5-acetic acid compounds and analgesic compositions thereof	514/307	546/144; 546/145; 546/147	Suzuki; Yasushi et al.
1	US 4245086 A	19810113	Production of N-hydroxyalkyltrimellitic acid imides polymers	528/318	528/170; 528/274; 528/275; 528/279; 528/281; 528/284; 528/285; 528/289; 528/312; 528/315; 528/319; 528/322	Uno; Keiichi et al.
1	US 4230703 A	19801028	11-Oxodibenz(b,e)azepines	514/217	540/587	Suzuki; Yasushi et al.
1	US 4140677 A	19790220	Shaped article of polymers prepared from (.beta.-hydroxyethyl)-	528/322	264/209.1; 264/290.2; 264/290.5	Uno; Keiichi et al.

			trimellitic acid imide			
1	US 4065439 A	19771227	Copolyester and process for the production thereof	528/302	156/332; 428/480	Uno; Keiichi et al.
1	US 4033685 A	19770705	Film reader	353/82	353/26R; 353/78	Uno; Keiichi et al.
1	US 4018824 A	19770419	1-Aryloxy-3- aminopropane derivatives	564/348	548/503; 548/952; 549/362; 564/349; 564/350; 564/351; 568/626; 568/649; 568/662	Tsukamoto; Kunio et al.
1	US 4009312 A	19770222	Heat-adhesive film laminate	428/213	426/126; 426/412; 428/214; 428/215; 428/216; 428/349; 428/354; 428/412; 428/458; 428/477.7; 428/480; 525/411; 525/437; 525/448	Hayashi; Ikuya et al.
1	US 3988333 A	19761026	Tri-substituted aluminum salts or di-substituted aluminum salts of carboxyl group- containing, pharmaceutically effective compounds	556/179	206/832; 206/833; 546/5; 549/211	Suzuki; Yasushi et al.
1	US 3954227 A	19760504	Pharmaceutical compositions containing 1-(2',3'- dimethylphenoxy)-3-tert. butylamino-2-propanol or pharmaceutically acceptable salt thereof for treating or preventing coronary disorders	514/651		Tsukamoto; Kunio et al.

1	US 3930966 A	19760106	Method of forming colored oxide film on aluminum or aluminum alloy	205/107	205/108; 205/173	Takahashi; Toshiro et al.
1	US 3929765 A	19751230	Novel 3-substituted-aminoazetidine derivatives and process for preparation thereof	548/953	544/238; 544/319; 546/162; 546/268.1; 548/306.1; 548/314.7; 548/465	Suzuki; Yasushi et al.
1	US 3914502 A	19751021	Heat-adhesive laminated film	428/336	428/337; 428/412; 428/458; 428/475.2; 428/480	Hayashi; Ikuya et al.
1	US 3892636 A	19750701	Method for producing a colored oxide film on an aluminum or aluminum alloy	205/105	205/107; 205/173	Kaneda; Kazuyoshi et al.
1	US 3891664 A	19750624	Naphth[2,1-d]isoxazolyl-3-diazomethyl ketones	548/241	544/109; 544/137; 544/368; 546/198	Suzuki; Yasushi et al.
1	US 3874949 A	19750401	PROCESS FOR DECORATING AN ALUMINUM SUBSTRATE WITH A COLORED DESIGN	148/257	148/275; 205/121; 205/213; 216/102; 427/259	Kaneda; Kazuyoshi et al.
1	US 3872093 A	19750318	NAPHTHISOXAZOLYL ALKANOIC ACIDS AND THEIR DERIVATIVES	548/241	544/109; 544/137; 544/368; 546/198; 548/240; 548/249; 560/51	Suzuki; Yasushi et al.
1	US 3872087 A	19750318	PROCESS FOR PRODUCTION OF 1,3-DISUBSTITUTED AZETIDINE DERIVATIVES	548/952	564/348; 564/349; 564/351	Tsukamoto; Kunio et al.
1	US 3865857 A	19750211	Tri-substituted aluminum salts or di-substituted aluminum salts of carboxyl group-containing,	556/179	540/314; 540/327; 540/336; 540/338; 540/339;	Suzuki; Yasushi et al.

			pharmaceutically effective compounds, and process for preparation thereof		540/341; 540/342; 546/5; 548/104; 549/211; 552/504; 554/76; 556/184	
1	US 3864398 A	19750204	Process for the preparation of acylamino alkanol derivatives	564/220	548/451; 548/476; 548/549; 548/952; 552/104; 564/101; 564/102; 564/14; 564/141; 564/185; 564/207; 564/349; 564/350; 564/92; 564/99	Suzuki; Yasushi et al.
1	US 3839163 A	19741001	PROCESS FOR FORMING ON AN ALUMINUM SURFACE A COLORED DESIGN	205/121		Kaneda; Kazuyoshi et al.